

VERMONT DEPARTMENT OF ENVIRONMENTAL CONSERVATION
AUTHORIZATION TO DISCHARGE UNDER
MUNICIPAL SEPARATE STORM SEWER SYSTEM (MS4)
GENERAL PERMIT 3-9014

A determination has been made that the applicant:

Town of Milton
43 Bombardier Road
Milton, VT 05468

meets the criteria necessary for inclusion under General Permit 3-9014. Hereinafter the named applicant shall be referred to as the permittee. Subject to the conditions of General Permit No. 3-9014, the permittee is authorized to discharge stormwater from the small Municipal Separate Storm Sewer System (MS4) located in Milton, Vermont.

This permit amends and replaces previously issued authorization 7026-9014 for the following reason:

The permittee has applied under the re-issued Municipal Separate Storm Sewer System General Permit, issued July 27, 2018.

Compliance with General Permit 3-9014 and this Authorization

The permittee shall comply with this authorization and all the terms and conditions of General Permit 3-9014, including the payment of annual operating fees to the Department. A billing statement for such fees will be sent to the permittee each year. Any permit non-compliance constitutes a violation of 10 V.S.A. Chapter 47 and may be grounds for an enforcement action or revocation of this authorization to discharge. Nothing in this permit shall be construed as having relieved, modified, or in any manner affected your on-going obligation to comply with all other federal, state or local statutes, regulations or directives applicable to you in the operation of your activities, nor does it relieve you of the obligation to obtain all other necessary state, local and federal permits.

Phosphorus Control Plan Reporting Deadlines

The permittee shall submit a report on an annual basis on the permittee's development and implementation of the Lake Champlain Phosphorus Control Plan (PCP). The PCP report shall be submitted every year on April 1st with the MS4 Annual Report.

Due Date	Compliance Item
April 1, 2020	Submit the Annual PCP Report and the Implementation Table with results of the Road Erosion Inventory (REI)
April 1, 2021	Complete the Phosphorus Control Plan (PCP) and submit it to the Secretary Submit the Annual PCP Report

April 1, 2022 and every year thereafter	Submit Annual PCP Report
No later than June 17, 2036	Complete full implementation of the approved PCP

Right to Appeal to the Environmental Court


Pursuant to 10 V.S.A. Chapter 220, any appeal of this decision must be filed with the clerk of the Environmental Court within 30 days of the date of the decision. The Notice of Appeal must specify the parties taking the appeal and the statutory provision under which each party claims party status; must designate the act or decision appealed from; must name the Environmental Court; and must be signed by the appellant or their attorney. In addition, the appeal must give the address or location and description of the property, project or facility with which the appeal is concerned and the name of the applicant or any permit involved in the appeal. The appellant must also serve a copy of the Notice of Appeal in accordance with Rule 5(b)(4)(B) of the Vermont Rules for Environmental Court Proceedings. For further information, see the Vermont Rules for Environmental Court Proceedings, available on line at www.vermontjudiciary.org. The address for the Environmental Court is 32 Cherry Street, 2nd Floor Suite 303 Burlington, Vermont 05401 (Tel.# (802) 951-1740).

Effective Date and Expiration Date of this Authorization

This authorization to discharge shall become effective on June 18, 2019 and shall continue until July 27, 2023. Permittees will be contacted to reapply when the MS4 permit has been replaced.

Dated this 18th day of June, 2019.

Emily Boedecker, Commissioner
Department of Environmental Conservation

By: 

Padraic Monks, Stormwater Program Manager
Stormwater Management Program